

AD-A199 852

E COPY

(2)

REPORT DOCUMENTATION PAGE

U		CLASSIFICATION		1b RESTRICTIVE MARKINGS	
2a SECURITY CLASSIFICATION AUTHORITY		2b DECLASSIFICATION / DOWNGRADING SCHEDULE		3 DISTRIBUTION / AVAILABILITY OF REPORT	
NA		NA		Unlimited	
4 PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)			
4B956		NA			
6a NAME OF PERFORMING ORGANIZATION		6b. OFFICE SYMBOL (If applicable)		7a NAME OF MONITORING ORGANIZATION	
Texas A&M University		NA		Office of Naval Research	
6c. ADDRESS (City, State, and ZIP Code)		7b ADDRESS (City, State, and ZIP Code)			
Department of Biochemistry & Biophysics Texas A&M University College Station, Texas 77843-2128		800 N. Quincy Street Arlington, Virginia 22217-5000			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b OFFICE SYMBOL (If applicable)		9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
Office of Naval Research		ONR		N00014-85-K-0662	
8c ADDRESS (City, State, and ZIP Code)		10 SOURCE OF FUNDING NUMBERS			
800 N. Quincy Street Arlington, Virginia 22217-5000		PROGRAM ELEMENT NO 61153N		PROJECT NO RR04106	
		TASK NO		WORK UNIT ACCESSION NO	
11 TITLE (Include Security Classification)					
Structure, Function, and Inhibition of Degenerative Enzymes					
12 PERSONAL AUTHOR(S)					
Edgar F. Meyer, Jr. <i>E. Meyer</i>					
13a TYPE OF REPORT		13b TIME COVERED		14 DATE OF REPORT (Year, Month, Day)	
Annual/Technical		FROM 9/1/84 TO 9/30/88		September 2, 1987	
15. PAGE COUNT					
2					
16. SUPPLEMENTARY NOTATION					
17 COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Ligand + receptor interactions, molecular modelling, drug design, X-ray crystallography.		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>The short-term objective of this project is to establish a data base which defines the binding mode of various classes of inhibitors of the serine proteases, especially elastase. The long-term goal is to determine general rules of binding specificity and to apply these rules to the design of novel or improved (more specific, more potent) inhibitors. By means of high-resolution X ray crystallography, the structure of native porcine pancreatic elastase (PPE, Acta Cryst. B, in press) has been refined to 1.65Å resolution. It forms the basis for comparison with 12 high-resolution complexes of PPE. The homologous structure of human leucocyte elastase (EMBO Journal, 1987) has been determined. These two enzyme structures form a highly interesting pair for subsequent modelling studies. The variety of binding modes prompts one to be cautious in using molecular modelling in the absence of additional (experimental) information.</p>					
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT			21. ABSTRACT SECURITY CLASSIFICATION		
<input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			U		
22a NAME OF RESPONSIBLE INDIVIDUAL			22b TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL
Dr. M. Marron			(202) 696-4760		ONR

FINAL PROJECT REPORT
OFFICE OF NAVAL RESEARCH
N00014-85-K-0662

Edgar F. Meyer, Jr.
Biochemistry & Biophysics
Texas A&M University

INTRODUCTION

For four years this grant was the principle source of funds for support of equipment, maintenance, and salaries of this research group. As a result of this crucial support, the research efforts described below reached fruition and have generated seminal contributions to related fields. The grant was terminated as of July, 1988 with an extension through September, 1988. During this time, three doctoral students were, at one time or another, supported: Leonard Presta (now a post-doc with George Rose, Hershey Medical Center), Gail Carlson (now a post-doc with John Katzenellebogen at the University of Illinois and student in the Veterinary Medicine program at the University of Illinois), and Lori Takahashi (employed by a biotech firm in the Bay Area of San Francisco). A fourth student, Robin Crook, received the M.S. degree.

PROJECT GOALS

1. Determine the structures of small molecule complexes with the serine protease, porcine pancreatic elastase.
2. Using molecular modelling, study the binding modes of small molecule inhibitors so as to define important binding interactions and predict ways of improving such interactions.

ACCOMPLISHMENTS

1. During the past four years, initial investigations in this series were completed and published (54-67) forming the data base for subsequent studies.
2. A strong collaborative component in this research was made possible by annual visits (6 weeks-2 months) with Dr. Wolfram Bode, MPIB, Martinsried, West Germany. Out of this collaboration came the structure of human leucocyte elastase (HLE), the causative agent in human pulmonary emphysema (58). With only a 41% sequence homology between and porcine pancreatic elastase (PPE), the degree of homology in the extended receptor region (528 common backbone (NCCO) atoms may be

88 1012 073

superimposed with a R.M.S. fit of 0.48Å) is clearly established. This homology is all the more striking when active site (57, 102, 189-195, 213-216, 226, 228) backbone atoms are superimposed, 55 atoms agree to a R.M.S. fit of 0.26Å, the greatest divergence occurring at amino acids 192 and 226.

3. Two classes of elastase inhibitors were studied, heterocyclics and derivatized peptides. A total of 7 papers reporting these results have been published (54, 56, 57, 61, 62, 64, 67). Two more papers are being submitted.
4. Due to our success in capturing a "Michaelis complex" of PPE with a hexapeptide (64), follow up studies of two pentapeptides (Leu-Leu-Arg*X-Tyr; X=Pro and Sar=sarcosine) complexed to trypsin are now being investigated.

Thus, a total of 16 high-resolution crystallographic studies were either completed or initiated (or both) during these 4 years of ONR support. This therefore comprises the definitive data base of small-molecule binding to elastase.

INTERPRETATION AND EVALUATION

Two clear patterns emerged from these studies:

1. Derivatized peptides of the length of 3 or 4 amino acids, without definitive, covalent or electrostatic attachment to the enzyme, preferred to bind backwards in the active site. Longer (penta-, hexa-) peptides were found bound in the "forward" orientation (as compared with trypsin + BPTI).
2. Heterocyclic complexes like isocoumarins (54) and benzoxazinones (61) bind in totally unpredictable fashion, each markedly different from the other, beyond the fact that each is covalently attached to Ser 195. This puts molecular modelling of such complexes on a very shaky basis and calls for more structure analysis in order to determine the rules of binding.

A review paper is being jointly authored by Bode, Powers, and myself; it will summarize chemical and structural data and compare the crystallographic results of HLE and PPE.

BIBLIOGRAPHY:

54. "The Stereospecific Reaction of 3-Methoxy-4-chloro-7-amino-isocoumarin with Crystallin Porcine Pancreatic Elastase" Edgar F. Meyer, jr., Leonard G. Presta, and R. Radhakrishnan, J.Am.Chem.Soc., (1985)107,4091-4093.
55. "Computer Aided Prediction and Evaluation of the Tertiary Structure of Rat Elastase II", Gail M. Carlson, Raymond J. MacDonald, and Edgar F. Meyer, jr., J. Theoretical Biology (1986)119,107-124.
56. "Structure of the Product of Acetyl-Ala-Pro-Ala with Porcine Pancreatic Elastase at 1.65A Resolution", E.F. Meyer, jr., R. Radhakrishnan, G.M. Cole, and L.G. Presta, J. Mol. Biol.(1986) 189,533-539.
57. "Stereochemistry of Binding of the Tetrapeptide Aceryl-Pro-Ala-Pro-Tyr-NH₂ to Porcine Pancreatic Elastase..." M.G. Clore, A. Gronenborn, G. Carlson and E.F. Meyer, jr., J.Mol.Biol.(1986) 190, 259-267.
58. "X-ray Crystal Structure of the Complex of Human Leucocyte Elastase (PMN elastase) and the Third Domain of the Turkey Ovomucoid Inhibitor", W. Bode, An-Zhi Wei, R. Huber, E. Meyer, J. Travis, and S. Neumann, EMBO Journal (1986), 10:2453-2458.
59. "Intermolecular Enzyme-Ligand Animation in the Active Site of Porcine Pancreatic Elastase with Acetyl-Alanine-Proline-Alanine by means of Molecular Dynamics Calculations", T. Fujita, S.M. Swanson, and E.F. Meyer, jr., J.Mol.Graphics (1986), 4,208-212.
60. "Drug Design: Building Molecules on your Micro", E.F. Meyer and R. Radhakrishnan, Software in Healthcare, Aug/Sept(1986) 14-19 (not reviewed)
61. "Prediction of Protein-Ligand Interactions: The Complex of Porcine Pancreatic Elastase with a Valine-Derived Benzoxazinone", L.G. Presta and E.F. Meyer, jr. Biopolymers (1987) 26:8, 1207.
62. "Crystal Structures of the Complex of Porcine Pancreatic Elastase with two Valine-derived Benzoxazinone Inhibitors", R. Radhakrishnan, L.G. Presta, & E. Meyer (1987) J. Mol. Biol., 198, 417-424.

Accession For	
NTIS	✓
DTIC	✓
Unann	✓
Justified	
By	
Date	
Cost	
A-1	

63. "Energy Minimization and Molecular Dynamics of Asn 102 Elastase" B. Lesyng & E.F. Meyer, J. Computer-aided Mol. Design(1987)1,211-217
64. "Analysis of an Enzyme-Substrate Complex by X-ray Crystallography and Transferred Nuclear Overhauser Enhancement Measurements: Porcine Pancreatic Elastase and an Hexapeptide", E. Meyer, G. Marius Clore, A.M. Gronenborn, and H.A.S. Hansen, Biochemistry(1988), 27, 725-730
65. "The Crystal Structure of Native Porcine Pancreatic Elastase at 1.65A Resolution", E. Meyer, G. Cole, R. Radhakrishnan & O. Epp, Acta Cryst. (1988) B44, 26-38.
66. "Crystal Structure of the Covalent Complex Formed by a Peptidyl a,a difluoro-beta-keto amide with Porcine Pancreatic Elastase at 1.78A Resolution", L. Takahashi, R. Radhakrishnan, R. Rosenfield, E. Meyer & D. A. Trainor, submitted, J. Am. Chem. Soc.
67. "X-ray Diffraction Analysis of the Inhibition of Porcine Pancreatic Elastase (PPE) by a Peptidyl Trifluoromethyl Ketone", L.H. Takahashi, R. Radhakrishnan, R.E. Rosenfield jr. & E.F. Meyer. Journal of Molecular Biology, (1988) 201, 423-428.

CHAPTERS:

71. "The Modelling and Verification of Complexes of Elastase and Other Serine Proteases", E. Meyer and L. Presta, in "Topics in Molecular Pharmacology", Vol 3, pp.307-321 (1986), G.C.K. Roberts, A.S.V. Burgen, and M.S. Tute, eds. Elsevier, Oxford.
72. "The Study and Design of Specific Inhibitors to Elastase" E. Meyer and W. Bode, in "QSAR in Drug Design and Toxicology" (1987) 247-254, D. Hadzi and B. Jerman-Blazic, Eds. Elsevier, Amsterdam
73. "A Structure:Function Study of Receptor + Substrate Interactions Derived from High-Resolution X-ray Crystallography" in "Molecular Structure: Chemical Reactivity and Biological Activity", J. Stezowski, J.-L.Huang & M.-C. Shao, eds., Oxford University Press (1988) 179-188.
74. "Molecular Modelling: 1) Playing the game when you don't know the rules, 2) how to learn the rules, and 3) some results", Xth International Symposium on Medicinal Chemistry, Pallos & Timmerman, eds. Elsevier, Amsterdam; in press.